

Isolation & Containment



A grease management strategy to help
your worst offenders happily comply



PUBLIC HEALTH INSPECTION NOTICE

CLOSED

This establishment was found to have violations which constitute a danger to personal safety or has been found in violation in other provisions of applicable ordinances. As a result, this establishment has been ordered to be closed by the Public Health Department.

PUBLIC HEALTH INSPECTION NOTICE

**What if some restaurants are
not able to meet your effluent
standard?**

This establishment was found to have violations which constitute a danger to personal safety or has been found in violation in other provisions of applicable ordinances. As a result, this establishment has been ordered to be closed by the Public Health Department.

Sample of FOG standards in Florida Jurisdictions

City	Oil & Grease Standard	Code
Fort Lauderdale	400 mg/L	Sec. 28-204. - Prohibited discharges
Tampa	400 mg/L	Sec. 26-306. - Grease traps and interceptors
Orlando	250 mg/L	Sec. 30.03. - Pretreatment of Wastewater
Port St. Lucie	100 mg/L	Sec. 64.04. - Prohibitions and limitations on discharge into the wastewater system
Rivera Beach	100 mg/L	Sec. 20-144. - Prohibitions and limitations on discharge into the CRBSS
Palm Bay	100 mg/L	§ 201.21 PROHIBITED DISCHARGE STANDARDS
Mexico Beach	60 mg/L	§ 54.06 GENERAL SEWER USE REQUIREMENTS
Oldsmar	50 mg/L	Sec. 70-229. - Specific pollutant limitations

FOG EFFLUENT (Oil & Grease Samples)						
PERMIT CLASS	PERMIT #	NAME	LOCATION	DATE	RESULT (mg/L)	
1	GDO	1443	Midland Meat LLC dba/ Stop & Shop Meat Market	Sampling point	12/15/2016	3.9
2	GDO	1442	Fritanga Carolina Corp	Outlet tee	04/12/2016	15.1
3	GDO	1442	Publix @ 15750 SW 72 St	Outlet tee	12/28/2016	15.6
4	GDO	1011	Anthony's Prod. Corp. DBA Banana's Cafe & Grill	Outlet tee	13/22/2016	17.0
5	GDO	137	Wendy's @ 8605 SW 72 St	Outlet tee	03/22/2017	21.2
6	GDO	7076	Luxwell Operation INC. DBA Luxwell at Courtyard	Outlet tee	04/15/2016	23.2
7	GDO	1830	The Sushi Bar	Outlet tee	12/05/2016	28.2
8	GDO	880	Cafeteria Rest- Mi Cafeteria	SP	01/05/2017	31.1
9	GDO	9138	7-Eleven	Ramp point	11/23/2016	38.8
10	GDO	4362	Starbucks @ 8442 SW 8 St	Sampling point	12/13/2016	39.8
11	GDO	2351	MIDPCS- JOSE DE DIEGO MIDDLE SCHOOL	Outlet tee	09/02/2016	42.2
12	GDO	2186 & 1590	Miss Saigon Bistro & Castelluccio	Outlet tee (SHARED)	07/22/2016	43.3
13	N/A	N/A	Teavana @ Village of Merrick Park	Grease trap	04/14/2016	55.5
14	GDO	2389	Shinju Japanese Buffet	Outlet tee	12/15/2016	56.2
15	GDO	484	Winn Dixie (LOT @ SW corner of Building)	Outlet tee	09/28/2016	58.1
16	GDO	2066	Mt Columbia	Ramp point	11/29/2016	59.0
17	GDO	626	Dominos's Pizza @ 3889	Outlet tee	05/06/2016	67.4
18	GDO	485	UMGC-Hecht Dining Hall	Outlet tee	10/28/2016	69.0
19	GDO	2160	Sushi Samba Dinos	Outlet tee	05/23/2016	69.6
20	GDO	695	Sunshine Rest. Merger Sub LLC dba/ Ithop #36-078	Outlet tee	11/28/2016	74.3
21	GDO	1888	Subway @ 8768 SW 72 St	Outlet tee	12/15/2016	78.4
22	GDO	2186 & 1590	Miss Saigon Bistro & Castelluccio	Soakage Pit	03/29/2016	77.4
23	GDO	700	Papa John's Pizza	Ramp point	11/30/2016	82.9
24	GDO	9722	Hammingsway warehouse DBA Sesait and Pepper	Outlet tee	12/23/2016	85.9
25	GDO	1442	Publix @ 15750 SW 72 St	OUTLET TEE	12/28/2016	87.2
26	GDO	812	Anthony's Gourmet in the Gables	Outlet tee	03/13/2016	88.4
27	N/A	N/A	Teavana @ Dolphin Mall	Grease trap	04/13/2016	88.5
28	GDO	8886	Starbucks @ 52 Curties Pkwy	Sampling point	12/15/2016	93.8
29	GDO	487	UMGC-Lin	Outlet tee	10/28/2016	96.8
30	GDO	3046	35 Hot China Steak House II	Outlet tee	07/25/2016	100.0
31	GDO	3044	35 Hot China Steak House I	Outlet tee	07/25/2016	100.0
32	GDO	2017	El Brazo Fuerte Bakery ENT- INC	Storm drain	04/26/2016	106.5
33	GDO	1245	Schwyz	Outlet tee	12/16/2016	106.5
34	GDO	8330	Gourmet by J & D, DBA Gourmet Gourmet	Outlet tee	08/24/2016	129.7
35	GDO	30251	Pai Wei Asian Dinner, LLC	Outlet tee	07/20/2016	131.5
36	GDO	2422	Rinconato Lanna Cafe & Restaurant Corp	Storm drain	08/12/2016	132.2
37	GDO	1379	Flying Food Semar Miami, LLC	Outlet tee	03/07/2016	137.2
38	GDO	1368	Mondue, LLC	Outlet tee	11/04/2016	142.4
39	GDO	6892	Starbucks 17760 NW 57 Ave	Outlet tee	11/10/2016	142.7
40	GDO	2917	Shinle Enterprise Inc DBA Bird Road Dairy Queen	Outlet tee	10/03/2016	143.5
41	GDO	9916	The Chinese Restaurant	Outlet tee	01/04/2017	144.3
42	GDO	9494	Amicoa, LLC DBA Lique	Storm drain	08/05/2016	161.1
43	GDO	48	Carton Restaurant	Outlet tee	12/07/2016	161.1
44	GDO	2339	Garcia's Seafood Grille & Fish Market	Outlet tee	03/09/2016	162.4
45	GDO	9688	The Fresh Market INC	Outlet tee	04/08/2016	164.6
46	GDO	2561	Fritanga Cocina de Doña Angela	OT	03/23/2017	168.0
47	GDO	9116	The Chinese Restaurant	Outlet tee	12/03/2016	168.0
48	GDO	9161	Duffy's of North Miami Beach, Inc DBA Interostal Mall	Outlet tee	08/05/2016	171.8
49	GDO	10538	Coyo Taco	SP	01/06/2017	176.7
50	GDO	697	Kingfish City Thai & Seafood Restaurant	Outlet tee	12/16/2016	177.0
51	GDO	9252	McM Collins, LLC Burger Fit	Outlet tee	02/16/2016	178.6
52	GDO	4574	La Fogata (Mail of the Americas)	Outlet tee	01/09/2017	180.2
53	GDO	8651	Peta's Kitchen	Outlet tee	11/01/2016	180.7
54	GDO	1817	Jamaican Kitchen	Outlet tee	12/04/2016	182.2
55	GDO	1164	Poon's Corp. DBA Florida Grill	Outlet tee	08/15/2016	183.2
56	GDO	4610	CAJITO'S CUBAN CUISINE	Outlet tee	01/09/2017	184.9
57	GDO	1223	Adrianna Asht Center DBA Brava	Outlet tee	11/08/2016	191.8
58	GDO	2561	Fritanga Cocina de Doña Angela	Outlet tee	12/16/2006	192.0
59	GDO	6884	Sushi Gables, Inc.	Storm drain	03/20/2016	194.0
60	GDO	3044	35 Hot China Steak House III	Outlet tee	05/10/2016	198.7
61	GDO	1877	Meditian Market	Outlet tee	11/13/2016	202.8
62	GDO	4516	607 Lincoln Rd, LLC DBA Cannetta	Outlet tee	07/20/2016	205.6
63	GDO	10905	UMGC- Mahoney Pearson Dining Hall	Outlet tee	10/28/2016	206.8
64	GDO	2877	Ni, Inc DBA Meridian Food Market	Outlet tee	08/02/2016	211.8
65	GDO	3223	Adrianna Asht Center DBA Brava	Outlet tee	12/09/2016	215.1
66	GDO	3688	The Fresh Market INC	Outlet tee	02/19/2016	218.0
67	GDO	2788	Ruson Japanese Steakhouse	Outlet tee	04/07/2016	219.0
68	GDO	2398	Garcia's Seafood Grille & Fish Market	Outlet tee	09/24/2016	219.8
69	GDO	2339	Garcia's Seafood Grille & Fish Market	Outlet tee	07/15/2016	224.0
70	GDO	2186 & 1590	Miss Saigon Bistro & Castelluccio	Outlet tee (SHARED)	03/29/2016	226.1
71	GDO	25	APF 101 Court DBA Double Tree Miami	Outlet tee	03/29/2016	233.3
72	GDO	9638	Taste Budds of India IV, Inc.	Outlet tee	12/11/2016	234.0
73	GDO	3269	CG Brickell, LLC DBA Komodo	Outlet tee	07/27/2016	240.8
74	GDO	2261	Casablanca Seafood Bar & Grill, INC	Outlet tee	04/20/2016	240.8
75	GDO	31020	Plant Based Restaurants, LLC	Outlet tee	11/14/2016	257.4
76	GDO	218	POLLO TROPICAL	Outlet tee	12/14/2016	270.5

(Feb. '16-Jan. '17)

141 FOG Effluent Samples

41 samples within 150 mg/L limit

100 Violations

Average:


768 mg/L

Highest:

13,300 mg/L

FOG EFFLUENT (Oil & Grease Samples)						
PERMIT CLASS	PERMIT #	NAME	LOCATION	DATE	RESULT (mg/L)	
77	GDO	2961	Danny Restaurant	Outlet tee	07/06/2016	274.2
78	GDO	6035	Divino Ceviche Coral Gables	Outlet tee	03/29/2016	288.3
79	GDO	2538	Wei Eileen INC DBA Kyojin Japanese Seafood Buffet	Storm drain	04/20/2016	294.2
80	GDO	2261	Casablanca Seafood Bar & Grill, INC	Outlet tee	03/10/2016	304.0
81	GDO	9127	McM Collins, LLC Burger Fit	Outlet tee	07/02/2016	304.0
82	GDO	5850	Chicken Kitchen	Outlet tee	12/02/2016	314.5
83	GDO	5457	Sasun, INC DBA Pizza Rustica	Outlet tee	05/24/2016	334.0
84	GDO	2186 & 1590	Miss Saigon Bistro & Castelluccio	Outlet tee (SHARED)	06/07/2016	347.1
85	GDO	11177	New Randy's Inc. DBA Randy's Restaurant	Outlet tee	06/16/2016	360.0
86	GDO	4516	607 Lincoln Rd, LLC DBA Cannetta	Outlet tee	05/19/2016	370.5
87	GDO	3983	Sub Shack	Outlet tee	08/13/2016	396.0
88	GDO	7975	Target Miami Gardens	Outlet tee	10/14/2016	408.6
89	GDO	10921	Brasil Mania Inc.	Sampling point	01/06/2017	416.6
90	GDO	33,9726, 10018	Anthony's Coal Fired Pizza- et al	Outlet tee	12/20/2016	419.0
91	GDO	2088	Rasco's son Bakery	Outlet tee	05/29/2016	425.0
92	GDO	2088	Sunset Bakery	Outlet tee	12/15/2016	441.0
93	GDO	2088	Sunset Bakery	OT	12/28/2016	441.0
94	GDO	5192	150 Giralda LLC DBA The Local	Outlet tee	05/24/2016	476.8
95	GDO	2261	Casablanca Seafood Bar & Grill, INC	Outlet tee	11/14/2016	477.4
96	GDO	1488	Salmon & Salmon Restaurant	Outlet tee	06/29/2016	492.1
97	GDO	3560	Tropical Chinese Restaurant Corp	Outlet tee	08/03/2016	509.6
98	GDO	695	Sunshine Rest. Merger Sub LLC dba/ Ithop #36-078	Outlet tee	08/15/2016	557.6
99	GDO	2538	Wei Eileen INC DBA Kyojin Japanese Seafood Buffet	Outlet tee	04/19/2016	617.6
100	GDO	9722	Hammingsway warehouse DBA Sesait and Pepper	Storm drain	03/07/2016	619.9
101	GDO	487	Winn Dixie (LOT @ SE corner of Building)	Outlet tee	09/28/2016	638.6
102	GDO	1751	Koning Restaurants Int'l. DBA Hawaii Hut	Outlet tee	11/07/2016	650.5
103	GDO	2339	Garcia's Seafood Grille & Fish Market	Outlet tee	11/14/2016	679.7
104	GDO	2921	Ji Slang Inc. DBA Grand View Chinese Rest.	Outlet tee	08/18/2016	769.7
105	GDO	10251	Pai Wei Asian Dinner, LLC	Outlet tee	03/24/2016	791.2
106	GDO	697	Bangkok City Thai & Seafood Restaurant	Outlet tee	08/15/2016	796.0
107	GDO	4230	Le Montiers, LLC DBA Il Bolognese	Outlet tee	05/19/2016	796.8
108	GDO	2743	Dominos's Pizza	Outlet tee	04/06/2016	811.6
109	GDO	218	POLLO TROPICAL	Outlet tee	09/12/2016	826.0
110	GDO	2226	Wendy's #1712	Outlet tee	10/03/2016	859.7
111	GDO	3414	Dolores But you can Call Me Lolita LLC	Outlet tee	09/02/2016	908.0
112	GDO	165	OHG	Outlet tee	09/27/2016	1010.0
113	GDO	154	Wendy's #1711	Outlet tee	08/17/2016	1010.0
114	GDO	6035	Divino Ceviche Coral Gables	Outlet tee	07/13/2016	1060.0
115	GDO	8911	Yakko-San, LLC, DBA Yoko - San Sushi Japanese	Outlet tee	08/24/2016	1140.0
116	GDO	31094	Carolina Hot House	Outlet tee	09/28/2016	1140.0
117	GDO	5192	150 Giralda LLC DBA The Local	Outlet tee	06/02/2016	1160.0
118	GDO	9671	Due Bac	Sampling point	11/14/2016	1200.0
119	GDO	7457	Prime Italian	Outlet tee	06/16/2016	1290.0
120	GDO	580	Menendez Management Corp. DBA Mcdonald's #7409	Outlet tee	07/22/2016	1300.0
121	GDO	11	Benihana National Corp. DBA Samurai Japanese Steak & Seafood	Outlet tee	06/12/2016	1360.0
122	GDO	707	Delicias de Espana 2, inc.	Outlet tee	08/17/2016	1420.0
123	GDO	5192	150 Giralda LLC DBA The Local	Outlet tee	03/29/2016	1500.0
124	GDO	3414	Dolores But you can Call Me Lolita LLC	Outlet tee	07/13/2016	1820.0
125	GDO	9671	Due Bac	Sampling point	12/16/2016	1870.0
126	GDO	580	Menendez Management Corp. DBA Mcdonald's #7409	Outlet tee	06/12/2016	1950.0
127	GDO	4580	Los Verdes Restaurant	Outlet tee	05/12/2016	2000.0
128	GDO	2378	Di Papa's Inc.	Outlet tee	08/26/2016	2030.0
129	GDO	8396	Rok Burger Gastro Pub	OT	01/13/2017	2040.0
130	GDO	2412	Rinconato Latino Cafe & Restaurant Corp	Outlet tee	08/12/2016	2490.0
131	GDO	55	One Washington Ave Corp DBA Smith & Wollensky	Outlet tee	09/28/2016	2650.0
132	GDO	2378	Di Papa's Inc.	Outlet tee	07/21/2016	3110.0
133	GDO	4347	Trump National Doral	Sampling point	07/11/2016	3210.0
134	GDO	3345	Fritanga Montelimar Plaza, Inc.	Outlet tee	12/28/2016	3840.0
135	GDO	697	Bangkok City Thai & Seafood Restaurant	Outlet tee	10/25/2016	4340.0
136	GDO	4366	Latin Group Inc. DBA Latin Cafe 2000	Outlet tee	09/28/2016	4450.0
137	GDO	6889	Bryson's	Storm drain	07/14/2016	5670.0
138	GDO	475	Winn Dixie @ 8710 SW 72 St	Outlet tee	12/14/2016	9340.0
139	GDO	8663	TUOFC & Rima inc. DBA Daily Bread	Storm drain	03/24/2016	13300.0
140	N/A	N/A	Manhole 6-46	Sanitary Sewer Manhole	04/08/2016	73.0
141	GDO	31390	Dunkin Donuts 3439378	Storm drain	11/13/2016	U
				AVERAGE	768	U
				HIGHEST	13300.0	U
				LOWEST	15.1	U

FOG Effluent Sampling Data



A microscopic image showing a curved yellow boundary line separating a greyish-blue region on the left from a yellowish-green region on the right. The yellowish-green region is densely populated with numerous small, spherical droplets of varying sizes, characteristic of an emulsion. The greyish-blue region contains fewer, larger droplets.

Emulsification

A top-down view of a dark, viscous liquid being splashed into a body of water. The splash creates a central vortex of dark liquid surrounded by numerous small, clear bubbles. The water surface is covered in concentric ripples that radiate outwards from the point of impact. The overall color palette is muted, with greys, blacks, and whites, giving it a scientific or industrial feel.

Physical Emulsification



Chemical Emulsions



How do Chemical Emulsions cause failures?

PUBLIC HEALTH INSPECTION NOTICE

CLOSED

This establishment was found to have violations which constitute a danger to personal safety or has been found in violation in other provisions of applicable ordinances. As a result, this establishment has been ordered to be closed by the Public Health Department.

A grayscale photograph showing water flowing through a metal grate into a pipe. The water is captured in motion, creating a blurred, cascading effect as it falls into the dark opening of the pipe. The grate has several circular holes, and the overall scene is dimly lit, emphasizing the texture of the water and the metal.


**What if there was a way for all
restaurants to meet your
effluent standard?**

A hand holding a glowing lightbulb against a dark background. The lightbulb is the central focus, emitting a soft glow. The hand is positioned below the bulb, with fingers slightly curled around its base. The background is a dark, muted blue-grey color. The text 'Isolation and Containment' is overlaid in white, bold font across the middle of the image.

Isolation and Containment

Containment









Isolation





Isolation & Containment



Isolation & Containment

A way for all FSEs to comply



The image features a dense field of small, spherical water droplets of varying sizes. Each droplet acts as a tiny lens, reflecting light in a way that creates a spectrum of colors, primarily in shades of blue, green, and purple, giving the entire scene an iridescent appearance. The droplets are set against a dark, almost black background, which makes the colorful reflections stand out. The overall texture is bubbly and organic.

Questions?